



Lashing

Square Lashing - Step by Step




Start most lashings with either a Clove Hitch or Timber Hitch.
Both are as good, the Timber Hitch more easily learnt.


Diagonal Lashing - Step By Step




Step 1




Step 2




Step 3






Step 4



Step 5




Step 6



Step 7


Step 8

Step 9




Step 10


Tripod Lashing - Step By Step




Step 1




Step 2




Step 3




Step 4




Step 5




Step 6




Step 7




Step 8




Step 9




Step 10



Step 11



Step 12



Japanese Square Lashing - Step By Step




Step 1

Step 2


Step 3

Step 4


Filipino Diagonal Lashing - Step By Step




Step 1



Step 2




Step 3




Step 4



Round Lashing - Step By Step



Shear Lashing






Ladder Lashing



Step 1: The ladder lashing is started by using a clove hitch stopped with two half hitches to secure a rope to the top end of each rail.

Step 2: Lay an overhand loop over each side rail so that the running end of each loop is to the outside.

Step 3: Place a rung across the rails so that the standing part of each overhand loop is over the end of the rung and the running part of each overhand loop is under the rung.




Step 4: Pull the running part side


Step 5: Then pull the loop over the end

Step 6: Work each rope until it is tightened

of each overhand loop behind and to the outside of each rail. of the rung.




around the rung and the rung is in its desired position.



Step 7: Form an overhand loop in each running part.

Step 8: Place an overhand loop over each end of the rung to form a half hitch around each end of the rung.

Step 9: Work the half hitch tight



Step 10: Repeat steps 1 through 8 for each additional rung.

END: Finish the lashing by tying a clove hitch around each rail so that the clove hitch is directly under the bottom rung.